

# OPTONICA




## **Bande LED 2835 24V Étanche 100lm/W 3 Ans de Garantie**

### **Puissance**

- 20W/m


### **Couleur de lumiere**



Lumière chaude

### **Stamps**





## Technical Specification

|                                     |                 |
|-------------------------------------|-----------------|
| <b>Reference catalogue</b>          | 4453            |
| <b>Brand</b>                        | Optonica        |
| <b>Product Code</b>                 | ST2835-A5       |
| <b>Power</b>                        | 20W/m           |
| <b>Energy Consumption</b>           | 20 kWh/m /1000h |
| <b>Input voltage</b>                | DC24V           |
| <b>Flux</b>                         | 2100 lm/m       |
| <b>IP</b>                           | 65              |
| <b>Dimmable</b>                     | Yes             |
| <b>Correlated Color Temperature</b> | 2800K           |
| <b>Light Color</b>                  | Lumière chaude  |
| <b>EAN Code</b>                     | 3800156644533   |

|                                                 |               |
|-------------------------------------------------|---------------|
| <b>Energy Efficiency Label</b>                  | E             |
| <b>Beam angle</b>                               | 120°          |
| <b>Power Factor</b>                             | 0.5           |
| <b>On/Off Cycles</b>                            | 25 000x       |
| <b>Instant On</b>                               | 0.2s          |
| <b>Material</b>                                 | Flex PCB      |
| <b>Operating Frequency</b>                      | 50-60 Hz      |
| <b>Temperature</b>                              | -20°C / +40°C |
| <b>Ra ≥</b>                                     | 80            |
| <b>Life span</b>                                | 25 000 Hours  |
| <b>Color Code</b>                               | 828           |
| <b>LED Type</b>                                 | SMD           |
| <b>LEDs/m</b>                                   | 196           |
| <b>Roll</b>                                     | 5 m           |
| <b>Lumen maintenance at end of service life</b> | 70%           |
| <b>Size of product</b>                          | 10 x 3mm      |
| <b>Gross weight</b>                             | 0,241 kg      |
| <b>Net weight</b>                               | 0,037 kg      |

|                 |         |
|-----------------|---------|
| <b>Warranty</b> | 3 Years |
|-----------------|---------|