


02 Recessed Spots Fixed LED>The Super Mini Series

10101L/B/W



1W Recessed Star Light LED spot, IP44.

Requires 350mA driver. Driver cannot pass through the cut-out hole.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004

Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The Super Mini Series

Order Code

10101L/B/W

Colour

Black

Material

Aluminium

Shape

Circular

Height

21mm

Diameter

16mm

Cutout Hole Diameter

12mm

Recessed Ceiling

Yes

Recessed wall

Yes

Depth Required

30mm

Indoor

Yes

Adjustable

No

Electrical Characteristics

Fitting

Input Type

Constant Current

Input Current

350mA



Safety Class

1W

Power(Watts)

IP44

IP Rating

LED built in

Light Source

Bridgelux

LED Brand

100cm

Cable Length



F Mark

Illumination Data

Colour Temperature

3000K

Lumen Output

95lm

Light Efficiency

95lm/W

CRI

90



Illumination Diagram

Packing Info

Box Length

6,5cm

Box Width

6,5cm

Box Height

4,5cm

Box Weight

0.040kg

Pcs/Carton

100

Barcode

5291889060963

HS Code

9405413990

Certification & Warranty

Warranty

3 years

**switch to
one light!**

