


02 Recessed Spots Fixed LED>The Super Mini Series

10101L/W/W



1W Recessed Star Light LED spot, IP44.

Requires 350mA driver. Driver cannot pass through the cut-out hole.

Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Must be ordered separately



89004

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Super Mini Series
Order Code	10101L/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	21mm
Diameter	16mm
Cutout Hole Diameter	12mm
Recessed Ceiling	Yes
Recessed wall	Yes
Depth Required	30mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	△III
Power(Watts)	1W
IP Rating	IP44
Light Source	LED built in
LED Brand	Bridgelux
Cable Length	100cm
F Mark	△F

Illumination Data

Colour Temperature

3000K

Lumen Output

95lm

Light Efficiency

95lm/W

CRI

90

Illumination Diagram



Packing Info

Box Length

6,5cm

Box Width

6,5cm

Box Height

4,5cm

Box Weight

0.040kg

Pcs/Carton

100

Barcode

5291889050322

HS Code

9405413990

Certification & Warranty

Warranty

3 years

**switch to
one light!**

