

02 Recessed Spots Fixed LED>Mini Spots Aluminium

10103B/AL/W



1W/2W COB LED recessed spot IP20.

Requires 350mA/700mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



Must be ordered separately



89004



89004A



89004AT

## Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

Mini Spots Aluminium

Order Code

10103B/AL/W

Colour

Aluminium

Material

Aluminium

Shape

Circular

Height

35mm

Diameter

42mm

Cutout Hole Diameter

35mm

Recessed Ceiling

Yes

Depth Required

50mm

Indoor

Yes

Adjustable

No

### Electrical Characteristics

#### Fitting

Input Type

Constant Current

Input Current

350mA/700mA



Safety Class

1W/2W

Power(Watts)

IP20

IP Rating

LED built in

Light Source

COB

LED Type

Bridgelux

LED Brand

1

LED Number

40cm

Cable Length



F Mark

### Illumination Data

Colour Temperature

3000K

Lumen Output

200lm@700mA

Light Efficiency

100lm/W

CRI

90

Beam Angle

40°



Illumination Diagram

## Packing Info

Box Length	9cm
Box Width	6cm
Box Height	5,5cm
Box Weight	0.071kg
Pcs/Carton	100
Barcode	5291889042440
HS Code	9405413990

## Certification & Warranty

Warranty	5 years
----------	---------

**switch to  
one light!**

