

New 2025 Edition 2>Downlights Fixed LED

## 10130U/W/V



30W SMD LED UGR19 CCT Variable downlight, IP44.

Complete with 750mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery







### Physical Specification

Item Group	New 2025 Edition 2
Family	Downlights Fixed LED
Order Code	10130U/W/V
Colour	White
Material	Die Cast
Shape	Circular
Height	45mm


Diameter	220mm
Cutout Hole Diameter	205mm
Recessed Ceiling	Yes
Depth Required	65mm
Indoor	Yes
Adjustable	No
IK Rating	4

## Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	750mA
Safety Class	
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
F Mark	

## Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Constant Current	Yes
IP Rating	IP44
Safety Class	
Dimmable	No
Brand	Lifud
Protection	Short Circuit and Overload

## Illumination Data

Colour Temperature	3000K-4000K-6000K
Lumen Output	2500lm
Light Efficiency	83lm/W
CRI	80
Illumination Diagram	
UGR	19

## Packing Info

Box Weight	0.990kg
Pcs/Carton	10
Barcode	5291889080886
HS Code	9405413990

## Certification & Warranty

switch to  
**one light!**

one  
LIGHT

