



# **Product Datasheet**

# 22 Emergency Lights>Emergency LED Wall & Ceiling

89404



5W LED Wall and ceiling Exit sign, IP65.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads










### Dimensions



### **Physical Specification**

Item Group	22 Emergency Lights
Family	Emergency LED Wall & Ceiling
Order Code	89404
Colour	White
Material	Plastic
Shape	Rectangular
Length	352mm
Width	110mm
Height	65mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes

Outdoor	Yes
Adjustable	No
lectrical Characteristics	
	D. W.L.
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	5W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	5W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Number	41
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)	5W
Power Factor	0,9
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Battery Capacity	1500mAh
Battery Voltage	3,6V
Operation Time	3Hrs
Charging Time	24Hrs
Maintained	Yes
Non Maintained	Yes
Illumination Data	

Illumination Data		
Colour Temperature	6000K	
Colour remperature	0000K	
Lumen Output	350lm	
Light Efficiency	70lm/W	
Illumination Diagram		

Packing Info	
Box Weight	0.991kg
Pcs/Carton	12
Barcode	5291889039044
HS Code	9405114090

## Certification & Warranty

# switch to one light!

