



50W 650-1400mA constant current LED driver.

Adjustable output using DIP switches.

Complies with standard EN61347-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	
Family	
Order Code	
Material	
Shape	
Length	
Width	
Height	
Indoor	

23 Drivers
Adjustable Constant Current
89048
Plastic
Rectangular
140mm
42mm
30mm
Yes

Electrical Characteristics

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power Factor	0,95
Constant Current	Yes
650mA	2,5-44V
700mA	2,5-44V
750mA	2,5-44V
800mA	2,5-44V
850mA	2,5-44V
900mA	2,5-44V
950mA	2,5-44V
1000mA	2,5-44V
1050mA	2,5-44V
1100mA	2,5-44V
1150mA	2,5-44V
1200mA	2,5-44V
1250mA	2,5-42V
1300mA	2,5-40V
1350mA	2,5-39V
1400mA	2,5-38V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic

Packing Info

Pcs/Carton	50
------------	----

Barcode	5291889037507
HS Code	8504408390

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

