



04 Recessed Spots Adjustable LED>The Dimmable Reflector Spots

11109KD/W/W



9,2W LED adjustable recessed spot, with built-in 230V LED driver, made of plastic. Supplied with TRIAC dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Dimmable Reflector Spots
Order Code	11109KD/W/W
Material	Aluminium
Diffuser Material	Acrylic
Shape	Circular
Height	62mm

Diameter	86mm
Cutout Hole Diameter	67mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	9,2W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Sanan
LED Number	1
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	9,2W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	Yes
Output Terminal	Cable

Illumination Data

Colour Temperature	3000K
Lumen Output	620lm
Light Efficiency	67,4lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Length	10cm
Box Width	10cm
Box Height	8,5cm
Box Weight	0,150Kg
Pcs/Carton	48
Barcode	5291889038689
HS Code	9405409900

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

