

05 Downlights Fixed > The COB Downlight Range CCT V

## 10120CB/W/V



20W CCT Variable LED recessed downlight, IP20.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	05 Downlights Fixed
Family	The COB Downlight Range CCT V
Order Code	10120CB/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	85mm
Diameter	195mm
Cutout Hole Diameter	180mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes

Adjustable

No

## Electrical Characteristics

Gear

External-Included

### Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

20W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



### Fitting

Input Type

Constant Current

Input Current

500mA

Light Source

LED built in

LED Type

COB

### Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes


60 Hz

Yes

Output

500mA

## Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	1800lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	60°
Illumination Diagram	

#### Packing Info

Box Weight	0.915kg
Pcs/Carton	20
Barcode	5291889085317
HS Code	9405413990

#### Certification & Warranty

Warranty	3 years
----------	---------

switch to  
**one light!**

**one**  
LIGHT

