

18 Wall Recessed & Inground > The Inground Mini Series

69028A/W



2W AC LED inground, IP67, stainless steel 316.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	18 Wall Recessed & Inground
Family	The Inground Mini Series
Order Code	69028A/W
Colour	Stainless Steel
Material	Stainless Steel 316
Diffuser Material	Glass
Shape	Circular
Height	130mm
Diameter	55mm
Cutout Hole Diameter	100mm
Inground	Yes
Depth Required	130mm+300mm drainage

Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	8

Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2W
IP Rating	IP67
Light Source	LED built in
Dimmable	No
Cable Length	200cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	90lm
Light Efficiency	45lm/W
CRI	80
Beam Angle	30°
Illumination Diagram	

Packing Info

Box Weight	0.591kg
------------	---------

Pcs/Carton

12

Barcode

5291889080138

HS Code

9405413990

Certification & Warranty

Warranty

2 years

switch to
one light!

one
LIGHT

