

05 Downlights Fixed>The IP54 Downlights CCT V

10113B/W/V



13W LED CCT Variable recessed downlight, IP54. Suitable for bathroom installations.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	05 Downlights Fixed
Family	The IP54 Downlights CCT V
Order Code	10113B/W/V
Colour	White
Material	Die Cast
Diffuser Material	Plastic
Shape	Circular

Height
Diameter
Cutout Hole Diameter
Recessed Ceiling
Depth Required
Indoor
Outdoor
Adjustable

48mm
110mm
95mm
Yes
70mm
Yes
Yes
No

Electrical Characteristics

Gear
Fitting + Driver
Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

External-Included
220-240V
Yes
Yes

13W
IP54
LED built in
No


Fitting
Input Type
Input Current
Safety Class
IP Rating
Light Source
LED Type

Constant Current
300mA

IP54
LED built in
SMD 2835

F Mark	
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Constant Current	Yes
Output	300mA
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	0

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	950lm
Light Efficiency	73lm/W
CRI	80
Beam Angle	90°
Illumination Diagram	

Packing Info

Box Length	11,5cm
Box Width	11,5cm
Box Height	9cm
Box Weight	0.312kg
Pcs/Carton	24
Barcode	5291889082354
HS Code	9405413990

Warranty

2 years

switch to
one light!

