



05 Downlights Fixed>The IP54 & IP65 Downlights CCT V

10120BX/W/V



20W CCT Variable SMD recessed downlight.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	05 Downlights Fixed
Family	The IP54 & IP65 Downlights CCT V
Order Code	10120BX/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	50mm
Diameter	135mm
Cutout Hole Diameter	120mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes

Outdoor
Adjustable

Yes
No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
F Mark

220-240V
Yes
Yes

20W
IP54
LED built in


Fitting

Input Type
Input Current
Light Source
LED Type

Constant Current
500mA
LED built in
SMD

Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Output

Led Driver
220-240V
Yes
Yes
500mA

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	1800lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	90
Illumination Diagram	

Packing Info

Box Weight	0.480kg
Pcs/Carton	20
Barcode	5291889092698
HS Code	9405413990

Certification & Warranty

Warranty	5 years
----------	---------

switch to
one light!

one
LIGHT

